Journal of Applied Photographic Engineering

A bimonthly publication of the
Society of Photographic Scientists and Engineers

INDEX TO VOLUME 9 1983

Subject 210
Author 264

Only technical papers (P), Image Technology® (IT), Technical Notes (N), and Tutorial papers (T) are included in this index

Number 1, February 1–50
Number 2, April 51–76
Number 3, June 77–112
Number 4, August 113–134
Number 5, October 135–168
Number 6, December 169–212

Subject Index

Black-and-white films
Extending the linear exposure scale of Kodak professional direct duplicating film SO-015 (P), 1: 18–23

Business graphics
Xerox dry microfilm: A versatile camera-film and information-recording medium (IT), 1: 38–44

Camera shutter
High-speed shutter for single lens reflex cameras (P), 4: 126–128

Cameras
The use of photographic space in the development of the disc photographic system (P), 2: 52–57

Chemical analysis
A colorimetric determination of residual thiosulfate (hypo) in processed paper (P), 2: 66–70

CID image sensors
Use of charge injection device components in still cameras (IT), 4: 129–131

Color film
The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62
The stability and permanence of Cibachrome images (P), 4: 121–125

Color imaging
Electrophoretic recording of color images (P), 1: 1–6

Color infrared
Infrared color photography and spectral reflectance of tomato and potato diseases (P), 1: 33–37

Color paper
Saving of wash water in color paper processing using multi tank counter-current flow technology (P), 2: 62–65

Color printing
Electrophoretic recording of color images (P), 1: 1–6

Color processing
An alternative ion-exchange regeneration system for Kodak Ektaprint 2 developer recovery (P), 2: 71–75
Silver dye-bleach color microfilm (P), 4: 117–120

Color recording
Infrared color photography and spectral reflectance of tomato and potato diseases (P), 1: 33–37

Color reproduction
Electrophoretic recording of color images (P), 1: 1–6

Colorimetric determination
A colorimetric determination of residual thiosulfate (hypo) in processed paper (P), 2: 66–70

COM recording
Computer output microfilm: The evolution of photographic technology in data processing (IT), 1: 45–50

Computer output microfilm
Computer output microfilm: The evolution of photographic technology in data processing (IT), 1: 45–50

Computers
Fuji Film laser COM system (P), 1: 7–14

Contact screens
Fabrication of precompensated contact screens for finite-gamma recording media (P), 3: 100–104

Copiers
A dry powder means for developing magnetographic images (P), 1: 23–27

CT scanning
CT Scanning: Current status, recent developments, and future projections (T), 6: 205–208

Densitometry
Analysis of logarithmic amplifier bandwidth requirements for a scanning densitometer (P), 3: 104–108
Errors in measuring halftone dot areas (P), 1: 27–32
Light scattering in xerographic images (P), 3: 83–89

Diagnostic radiology
Scattered radiation in diagnostic radiology: Magnitudes, effects, and methods of reduction (T), 6: 184–195

Dielectric plotting
Electrostatic plotting on film (N), 5: 167–168

Digital angiography
Digital angiography: The apparatus, technique, and applications (T), 6: 199–204

Digital image processing
Rapid scanning beam digital radiography (T), 6: 196–198

Digital images
Text sharpness, its components and text quality (IT), 3: 109–111

Digital imaging
Digital angiography: The apparatus, technique, and applications (T), 6: 199–204

Dimensional stability
Dimensional stability measurement of photographic film (P), 5: 135–138

Dry toners
A dry powder means for developing magnetographic images (P), 1: 23–27

Duplicating
Extending the linear exposure scale of Kodak professional direct duplicating film SO-015 (P), 1: 18–23

Dye image
The stability and permanence of Cibachrome images (P), 4: 121–125

Dye images
Silver dye-bleach color microfilm (P), 4: 117–120

Effluents
Saving of wash water in color paper processing using multi tank counter-current flow technology (P), 2: 62–65

Electronic camera
Electronic still camera (IT), 5: 159–163

Electronic imaging
Use of charge injection device components in still cameras (IT), 4: 129–131

Electronic shutter control
The Polaroid instant 600 system (P), 150–158

Electrophoretic imaging
Electrophoretic recording of color images (P), 1: 1–6

Electrophoretic recording systems
Electrophoretic recording of color images (P), 1: 1–6

Electrophotography
A dry powder means for developing magnetographic images (P), 1: 23–27
Light scattering in xerographic images (P), 3: 83–89
Xerox dry microfilm: A versatile camera-film and information-recording medium (IT), 1: 38–44

Electrostatic plotting
Electrostatic plotting on film (N), 5: 167–168

Emulsions
The theoretical influence of Gaussian grain size distributions on the characteristic curve of photographic film (P), 4: 113–116

Exposure control
Development of a daylight operating enlarger/processor for Cibachrome prints (IT), 5: 163–166

Filters
A review of the application of UV-absorbers in color recording materials (N), 4: 132–134

Granularity
The theoretical influence of Gaussian grain size distributions on the characteristic curve of photographic film (P), 4: 113–116
Wiener spectrum estimation at zero frequency via direct digital computation (P), 3: 78–82

Graphic arts
Fabrication of precompensated contact screens for finite-gamma recording media (P), 3: 100–104
Spatial spectra derivation for "noisy" edged lines (P), 3: 89–97

Halftones
Errors in measuring halftone dot areas (P), 1: 27–32
Fabrication of precompensated contact screens for finite-gamma recording media (P), 3: 100–104

Image blur
Measurement of image blur due to intrinsic vibration of the camera body by applying speckle photography (P), 5: 138–142

Image evaluation
Dimensional stability measurement of photographic film (P), 5: 135–138
Just-noticeable differences for solid area noise (P), 1: 14–17
Measurement of image blur due to intrinsic vibration of the camera body by applying speckle photography (P), 5: 138–142

Recent advances in radiographic screen-film receptors—Part I: Technical aspects (T), 6: 170–177
Silver dye-bleach color microfilm (P), 4: 117–120
Spatial spectra derivation for "noisy" edged lines (P), 3: 89–97
Text sharpness, its components and text quality (IT), 3: 109–111
The theoretical influence of Gaussian grain size distributions on the characteristic curve of photographic film (P), 4: 113–116
Wiener spectrum estimation at zero frequency via direct digital computation (P), 3: 78–82
Just-noticeable differences for text quality components (P), 3: 97–100

Image noise
Spatial spectral derivation for "noisy" edged lines (P), 3: 89–97

Image permanence
A review of the application of UV-absorbers in color recording materials (N), 4: 132–134
The stability and permanence of Cibachrome images (P), 4: 121–125

Instant photography
The Polaroid instant 600 system (P), 5: 150–158

Intensifying screens
Recent advances in radiographic screen-film receptors—Part II: Clinical considerations (T), 6: 177–183

Laser
Fuji Film laser COM system (P), 1: 7–14

Magnetic development
A dry powder means for developing magnetographic images (P), 1: 23–27

Magnetic printing
A dry powder means for developing magnetographic images (P), 1: 23–27

Math modeling
Light scattering in xerographic images (P), 3: 83–89

Medical imaging
CT Scanning: Current status, recent developments and future projections (T), 6: 205–208
Digital angiography: The apparatus, technique, and applications (T), 6: 199–204
Recent advances in radiographic screen-film receptors—Part I: Technical aspects (T), 6: 170–176

Microfilm
Computer output microfilm: The evolution of photographic technology in data processing (IT), 1: 45–50
Fuji Film laser COM system (P), 1: 7–14
Silver dye-bleach color microfilm (P), 4: 117–120

Microfilms
Xerox dry microfilm: A versatile camera-film and information-recording medium (IT), 1: 38–44

Non-impact printing
Light scattering in xerographic images (P), 3: 83–89

Paper
The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62

Peel apart image systems
A new dry-film photoresist for printed circuit boards (P), 5: 143–150

Photofinishing
An alternative ion-exchange regeneration system for Kodak Ektaprint 2 developer recovery (P), 2: 71–75
Development of a daylight operating enlarger/processor for Cibachrome prints (IT), 5: 163–166
The use of photographic space in the development of the disc photographic system (P), 2: 52–57
The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62
Saving of wash water in color paper processing using multi tank counter-current flow technology (P), 2: 62–65

Photoflash
The Polaroid instant 600 system (P), 5: 150–158

Photographic film
A review of the application of UV-absorbers in color recording materials (N), 4: 132–134

Photoresist
A new dry-film photoresist for printed circuit boards (P), 5: 143–150

Photothermography
Fuji Film laser COM system (P), 1: 7–14

Phosphors
Recent advances in radiographic screen-film receptors—Part I: Technical aspects (T), 6: 170–176

Printer
Development of a daylight operating enlarger/processor for Cibachrome prints (IT), 5: 163–166
The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62

Processing chemicals
Saving of wash water in color paper processing using multi tank counter-current flow technology (P), 2: 62–65
A colorimetric determination of residual thiosulfate (hypo) in processed paper (P), 2: 66–70
An alternative ion-exchange regeneration system for Kodak Ektaprint 2 developer recovery (P), 2: 71–75

Processor
Development of a daylight operating enlarger/processor for Cibachrome prints (IT), 5: 163–166

Psychophysical image evaluation
Just-noticeable differences for text quality components (P), 3: 97–100

Radiography
Rapid scanning beam digital radiography (T), 6: 196–198

Radiology
Recent advances in radiographic screen-film receptors—Part II: Clinical considerations (T), 6: 177–183

Rapid scanning x-ray beams
Rapid scanning beam digital radiography (T), 6: 196–198

Recording
Electronic still camera (IT), 5: 159–163

Recording systems
The use of photographic space in the development of the disc photographic system (P), 2: 52–57

Regeneration techniques
An alternative ion-exchange regeneration system for Kodak Ektaprint 2 developer recovery (P), 2: 71–75

Remote sensing
Infrared color photogrphy and spectral reflectance of tomato and potato diseases (P), 1: 33–37

Resolution
Light scattering in xerographic images (P), 3: 83–89

Scanning densitometer
Analysis of logarithmic amplifier bandwidth requirements for a scanning densitometer (P), 3: 104–108

Sharpness
Text sharpness, its components and text quality (IT), 3: 109–111

Solid area noise
Just noticeable differences for solid area noise (P), 1: 14–17

Spatial noise
Just noticeable differences for solid area noise (P), 1: 14–17

Speckle photography
Measurement of image blur due to intrinsic vibration of the camera body by applying speckle photography (P), 5: 138–142

Spectral reflectance
Infrared color photography and spectral reflectance of tomato and potato diseases (P), 1: 33–37

Spectral sensitivity
The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62

Still camera
Electronic still camera (IT), 5: 159–163
High-speed shutter for single lens reflex cameras (P), 4: 126–128
Measurement of image blur due to intrinsic vibration of the camera body by applying speckle photography (P), 5: 138–142
The Polaroid Instant 600 system (P), 5: 150–158

Thiosulfate testing
A colorimetric determination of residual thiosulfate (hypo) in processed paper (P), 2: 66–70

Tone reproduction
Light scattering in xerographic images (P), 3: 83–89

Ultraviolet
A review of the application of UV-absorbers in color recording materials (N), 4: 132–134

Wiener spectrum
Wiener spectrum estimation at zero frequency via direct digital computation (P), 3: 78–82

X-ray scattering
Scattered radiation in diagnostic radiology: Magnitudes, effects, and method of reduction (T), 6: 184–195

X rays
Digital angiography: The apparatus, technique, and applications (T), 6: 199–204
Scattered radiation in diagnostic radiology: Magnitudes, effects, and methods of reduction (T), 6: 184–195

Xerography
Fabrication of precompensated contact screens for finite-gamma recording media (P), 3: 100–104
Just-noticeable differences for text quality components (P), 3: 97–100
Light scattering in xerographic images (P), 3: 83–89
Text sharpness, its components and text quality (IT), 3: 109–111
Xerox dry microfilm: A versatile camera-film and information-recording medium (IT), 1: 38–44

Author Index

Alessi, P. J. See Kress, W. C., 58–62
Bassano, D.
CT Scanning: Current status, recent developments and future projections (T), 6: 205–208
Bermane, D. See Meyer, A., 121–125
Blazquez, C. H.
—; Edwards, G. J.: Infrared color photography and spectral reflectance of tomato and potato diseases (P), 1: 33–37
Booth, L. See Heger, V., 18–23
Burger, J. l.
—; Mina, R.: An alternative ion-exchange regeneration system for Kodak Ektaprint 2 developer recovery (P), 2: 71–75
Burns, P. D.
—; Levine, B. M.: Wiener spectrum estimation at zero frequency via direct digital computation (P), 3: 78–82
Byer, R. J.
Dimensional stability measurement of photographic film (P), 5: 135–138
Coote, J.
Development of a daylight operating enlarger/processor for Cibachrome prints (IT), 5: 163–166
Carbone, J.
—; Hunter, D.: Use of charge injection device components in still cameras (IT), 4: 129–131
DeLorenzo, J.
—; Garsin, P.: Spatial spectra derivation for "noisy" edged lines (P), 3: 89–97
Dvorak, C. A.
—; Hamerly, J. R.: Just-noticeable differences for text quality components (P), 3: 97–100
Text sharpness, its components and text quality (IT), 3: 109–111
Edwards, G. J. See Blazquez, C. H., 33–37
Ehlers, B.
—; Hinz, H.-D., Lobl, H., Pape, R.: Electrophoretic recording of color images (P), 1: 1–6
Engeldrum, P. G.
Analysis of logarithmic amplifier bandwidth requirements for a scanning densitometer (P), 3: 104–108
Faulkner, T. W. See Rice, T. M., 52–57
Fushiki, I.
—; Komatsu, Y., Koboshi, S.: Saving of wash water in color paper processing using multi tank counter-current flow technology (P), 2: 62–65
Garsin, P. See DeLorenzo, J., 89–97
Gorski, J.
—; Skucas, J.: Recent advances in radiographic screen-film receptors—Part I: Technical aspects (T), 6: 170–176
Groski, J. See Skucas, J., 177–183
Hamerly, J. R.
Just-noticeable differences for solid area noise (P), 1: 14–17
See Dvorak, C. A., 97–100
Hauser, C. D.
Computer output microfilm: The evolution of photographic technology in data processing (IT), 1: 45–50
Hayashi, S. See Yamamura, Y., et al., 143–150
Heger, V.
—; Booth, L.: Extending the linear exposure scale of Kodak professional direct duplicating film SO-015 (P), 1: 18–23
Hinz, H.-D. See Ehlers, B., et al., 1–6
Hunter, D. See Carbone, J., 129–131
Imazeki, H. See Kondo, H., et al., 138–142
Johns, P. C. See Yaffe, M. J., 184–195
Kaneko, T. See Yamamura, Y., et al., 143–150
Karim, M. A.
Fabrication of precompensated contact screens for finite-gamma recording media (P), 3: 100–104
Kato, H. See Nakano, Y., et al., 126–128
Kihara, N.
—; Tamagawa, N., Saito, E.: Electronic still camera (IT), 5: 159–163
Koboshi, S. See Fushiki, I., et al., 62–65
Komatsu, Y. See Fushiki, I., et al., 62–65
Kondo, H.
—; Imazeki, H., Tsuruto, T.: Measurement of image blur due to intrinsic vibration of the camera body by applying speckle photography (P), 5: 138–142
Kress, W. C.
—; Alessi, P. J.: The influence of film, paper, and printer spectral characteristics on photofinishing performance (P), 2: 58–62
Langen, H.
A review of the application of UV-absorbers in color recording materials (N), 4: 132–134
Largesse, J. See Whiteside, G., 150–158
Levine, B. M. See Burns, P. D., 78–82
Lobl, H. See Ehlers, B., et al., 1–6
Manzardo, D.
Electrostatic plotting on film (N), 5: 167–168
Maltz, M.
Light scattering in xerographic images (P), 3: 83–89
Meyer, A.
—; Bermane, D.: The stability and permanence of Cibachrome images (P), 4: 121–125
Silver dye-bleach color microfilm (P), 4: 117–120
Mina, R. See Burger, J. L., 71–75
Miyauchi, A.
—; Ohnishi, M., Noguchi, M., Washizawa, Y.: Fuji Film laser COM system (P), 1: 7–14
Nakamura, K.
The theoretical influence of Gaussian grain size distributions on the characteristic curve of photographic film (P), 4: 113–116
Nakano, Y.
—; Kato, H., Tsuda, T., Tanaka, T.: High-speed shutter for single lens reflex cameras (P), 4: 126–128
Noguchi, M. See Miyauchi, A., et al., 7–14
Ohnishi, M. See Miyauchi, A., et al., 7–14
Owerbach, D.
A colorimetric determination of residual thiosulfate (hypo) in processed paper (P), 2: 66–70
Pape, R. See Ehlers, B., et al., 1–6
Parker, D. G.
—; Tomek, F., Swackhamer, S.: A dry powder means for developing magnetographic images (P), 1: 23–27
Rudin, S.
Rapid scanning beam digital radiography (T), 6: 196–198
Rice, T. M.
—; Faulkner, T. W.: The use of photographic space in the development of the disc photographic system (P), 2: 52–57
Saito, E. See Kihara, N., 159–163
Shaw, C.-G.
Digital angiography: The apparatus, techniques, and applications (T), 6: 199–204
Sigg, F.
Errors in measuring halftone dot areas (P), 1: 27–32
Skucas, J.
—; Gorski, J.: Recent advances in radiographic screen-film receptors—Part II: Clinical considerations (T), 6: 177–183
See Gorski, J., 170–176
Swackhamer, S. See Parker, D. G., et al., 23–27
Tamagawa, N. See Kihara, N., et al., 159–163
Tanaka, E. See Nakano, Y., et al., 126–128
Tomek, F. See Parker, D. G., et al., 23–27
Tsuda, T. See Nakano, Y., et al., 126–128
Tsuruta, T. See Kondo, H., et al., 138–142
Vincett, P. S.
Xerox dry microfilm: A versatile camera-film and information-recording medium (IT), 1: 38–44
Washizawa, Y. See Miyauchi, A., et al., 7–14
Whiteside, G.
—; Largesse, J.: The Polaroid instant 600 system (P), 5: 150–158
Yaffe, M. J.
—; Johns, P. C.: Scattered radiation in diagnostic radiology: Magnitudes, effects, and methods of reduction (T), 6: 184–195
Yamamura, Y.
—; Hayashi, S., Kaneko, T.: A new dry-film photoresist for printed circuit boards (P), 5: 143–150